

Norma


Design by Lievore Altherr Molina, 2005

Art. 1712

Bar stool with steel frame and upholstered legs. Polyurethane shell upholstered in fabric, leather, customer's material, and faux-leather. Seat height 76 cm.




Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Norma

Design by Lievore Altherr Molina, 2005

SHIPMENT DETAILS

Art.1712

1 pz = 1  - kg 9,5/ m³ 0,3

TECHNICAL SPECIFICATIONS

Art.1712

COL requirement m² 1.86

H 140 cm. COM Meterage ml 1.21

RESISTANCE TEST

FIRE RETARDANT TEST

California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Norma


Design by Lievore Altherr Molina, 2005

Art. 1713 1715

Bar stool with steel frame and covered legs. Polyurethane shell upholstered in hard leather grade CT. Available in two versions: with classic stitching (Art. 1713) or with decorative zipper (Art. 1715). Seat height 76 cm.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Shell

Hard leather Grade 1 and Grade 2



CT



CU

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com


Norma

Design by Lievore Altherr Molina, 2005

SHIPMENT DETAILS

Art.1713

1 pz = 1  - kg 11,4/ m² 0,3

1 pz = 1  - kg 11,4/ m² 0,3

RESISTANCE TEST

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

FIRE RETARDANT TEST

California TB117-2013 CT • BS5852 Sch. 5 Part 1 CT

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com